



2023 Enduro Rules and Procedures

Saturday, September 9, 2023

Ladies – 4 cylinders

Mens – 4 cylinders

Mens – 6 cylinders

Pole Race

Backwards Race

Open (All remaining Saturday cars)

Sunday, September 10, 2023

Mens – 8 cylinders

Mens – Vans

Mens – Trucks

Pole Race

Trailer Race

Mens – Open Class (all remaining cars together)

NOTE - If less than 16 cars (½ the laps & ½ the purse) per class

IF CMS SPEEDWAY -TECH APPROVED ROLL CAGE IS USED, DOUBLE THE PURSE MONEY-UP TO \$250

\$50 per registered car (Enduro) and \$20 for Trailer Race, Pole Race and Backward Race

THE CORNWALL MOTOR SPEEDWAY INC, ALL OF OUR SPEEDWAY SPONSORS, OFFICIALS AND MANAGEMENT ARE NOT RESPONSIBLE FOR DEATH OR INJURIES THAT MAY OCCUR ON THIS DAY. YOU TAKE FULL RESPONSIBILITY OF YOUR WELL BEING WHEN ENTERING THIS COMPETITION.

No Alcohol or drugs permitted in the pit area

Pit opens at 9am, Drivers meeting scheduled at 1pm and Scorers at 1:20pm, racing will start at 2pm

Scorers must attend the meeting 1:20pm or their car will not be scored, the meeting will be held in the grandstands near the flag stand.

Purses are:

Mens 4 cylinders: 1. \$300; 2. \$200; 3. \$100

Mens 6 cylinders: 1. \$300; 2. \$200; 3. \$100

Mens 8 cylinders: 1. \$500; 2. \$300; 3. \$100

Mens Vans: 1. \$300; 2. \$200; 3. \$100

Ladies 4 cylinders: \$300; 2. \$200; 3. \$100

Mens Trucks: 1. \$300; 2. \$200; 3. \$100

Pole Race, Trailer Race* and Backward: Purse to be determined on number of cars registered.

****NEW** 2023 TRAILER RACE RULES**

Open to any driver and any Enduro Car, Mini Van, Small SUV, Jeep or Small Pick Up and is a 15-lap race. To be declared the winner your trailer must still be attached to your car on the 15th lap when you cross the line. If you lose your trailer prior to the end of the race you are allowed to continue racing and try to remove your competitors trailer.

Rules for the Trailer are as follows:

- No pintle type hitches or no homemade style hitches, must be a standard ball and coupler type hitch.
- Ball may be attached to the trailer in any manor however cannot stick out past the rear bumper more than a standard ball would.
- No semi-trailers, or semi-trailer axles or tires.
- If your trailer includes a boat or anything of that nature fuel and fluids must be drained from the boat.
- *We encourage boats, furniture, or any other original trailer ideas.*

PLUS bonus for most original trailer (voted by fans):

1st place: pair of pit tickets for Canadian Super DIRT Weekend (Sunday) - \$100

2nd place: pair of pit tickets for Canadian Super DIRT Weekend (Saturday) - \$90

3rd place: pair of pit tickets for Canadian Super DIRT Weekend (Friday) - \$80

****NEW** 2023 FLAGPOLE RACE RULES**

Open to any driver and any Enduro Car registered* and is a 25-lap race. There will be a flagpole set up on the front straight and all cars must circle the flagpole every lap. If a competitor miss circling the flagpole on any lap, he or she will not be scored that lap.


*Saturday classes car run on Saturday and Sunday can run on Sunday

The following applies to Ladies 4 cylinders and Mens 4 cylinders

NOTE: Leave front doors blank for number on Race Day.

1. Any 4-cylinder car
2. All glass and flammable materials must be removed.
3. **No** outside reinforcement allowed.
4. **No** cutting or gutting of any panels.
5. **No** bracing in front of front firewall.
6. **No** trucks, 4-wheel drives or convertibles.
7. Car must have full body.
8. Front and rear plastic bumpers must be removed. All Styrofoam packing
9. Trailer hitch allowed (original place)
10. Remove all working lights, no mirror
11. Tires allowed are the ones that come with the model of car (Winter tires are allowed)
12. Tire pressure, no less than 28 lbs. per tire.
13. **No** obscene lettering.
14. **No** holes in floor @ drivers feets.
15. **No** plastic body cars. ie: Saturns
16. SUNROOF must be closed with TIN
17. On the roof a piece of thin TIN 1 x 1 f foot with your Number on both sides, screwed from inside or rivets

SAFETY


1. Battery must be in engine compartment. It can be relocated if needed, must solid to floor and secured from the driver
2. Lap & shoulder belt.
3. Full face helmet.
4. Seat must be solid to floor or roll cage.
5. Gas tank in original position. If not, it must be in trunk strapped with **at least 4**, 1" strapping.
Firewall between driver compartment and trunk.
6. Trunk has to be bolted and NOT Welded
7. ALL DOORS **MUST BE WELDED SHUT**. At least **4**, **1" welds per door**. 
8. 4 point roll bar highly recommended.
9. Windshield area must be completely covered with wire screen no larger than 2" holes. **NO CHICKEN WIRE**.
10. Remove all air bags.
11. No Mounting of anything on the roof of the vehicle
12. NECK RESTRAINTS Highly recommended
13. Gloves are mandatory.

The following applies to Mens 6 cylinders

NOTE: Leave front doors blank for number on Race Day.

1. Any 6-cylinder car
2. All glass and flammable materials must be removed.
3. **No** outside reinforcement allowed.
4. **No** cutting or gutting of any panels.
5. **No** bracing in front of front firewall.
6. **No** trucks, 4-wheel drives or convertibles.
7. Car must have full body.
8. Front and rear plastic bumpers must be removed. All Styrofoam packing must be removed
9. Trailer hitch allowed (original place)
10. Remove all working lights, no mirror
11. Tires allowed are the ones that come with the model of car (Winter tires are allowed)
12. Tire pressure, no less than 28 lbs. per tire.
13. **No** obscene lettering.
14. **No** holes in floor @ drivers feets.
15. **No** plastic body cars. ie: Saturns
16. SUNROOF must be closed with TIN
17. On the roof a piece of thin TIN 1 x 1 f foot with your Number on both sides, screwed from inside or rivets

SAFETY


1. Battery must be in engine compartment. It can be relocated if needed, must solid to floor and secured from the driver
2. Lap & shoulder belt.
3. Full face helmet.
4. Seat must be solid to floor or roll cage.
5. Gas tank in original position. If not, it must be in trunk strapped with **at least 4**, 1" strapping.
Firewall between driver compartment and trunk.
6. Trunk has to be bolted and NOT Welded
7. ALL DOORS **MUST BE WELDED SHUT**. At least **4**,
1" welds per door. 
8. 4 point roll bar highly recommended.
9. Windshield area must be completely covered with wire screen no larger than 2" holes. **NO CHICKEN WIRE.**
10. Remove all air bags.
11. No Mounting of anything on the roof of the vehicle
12. NECK RESTRAINTS Highly recommended
13. Gloves are mandatory.

The following applies to Mens 8 cylinders

NOTE: Leave front doors blank for number on Race Day.

1. Any North American Car. NO 4-cylinders compact car
2. All glass and flammable materials must be removed.
3. **No** outside reinforcement allowed.
4. **No** cutting or gutting of any panels.
5. **No** bracing in front of front firewall.
6. **No** trucks, 4-wheel drives or convertibles.
7. Car must have full body.
8. Front and rear plastic bumpers must be removed. All Styrofoam packing must be removed
9. Trailer hitch allowed (original place)
10. Remove all working lights, no mirror
11. Tires allowed are the ones that come with the model of car (Winter tires are allowed)
12. Tire pressure, no less than 28 lbs. per tire.
13. **No** obscene lettering.
14. **No** holes in floor @ drivers feets.
15. **No** plastic body cars. ie: Saturns
16. SUNROOF must be closed with TIN
17. On the roof a piece of thin TIN 1 x 1 f foot with your Number on both sides, screwed from inside or rivets

SAFETY


1. Battery must be in engine compartment. It can be relocated if needed, must solid to floor and secured from the driver
2. Lap & shoulder belt.
3. Full face helmet.
4. Seat must be solid to floor or roll cage.
5. Gas tank in original position. If not, it must be in trunk strapped with **at least 4**, 1" strapping.
Firewall between driver compartment and trunk.
6. Trunk has to be bolted and NOT Welded
7. ALL DOORS **MUST BE WELDED SHUT**. At least **4**,
1" welds per door. 
8. 4 point roll bar highly recommended.
9. Windshield area must be completely covered with wire screen no larger than 2" holes. NO CHICKEN WIRE.
10. Remove all air bags.
11. No Mounting of anything on the roof of the vehicle
12. NECK RESTRAINTS Highly recommended
13. Gloves are mandatory.

The following applies to Mini-Van

NOTE: Leave front doors blank for number on Race Day.

1. Any 4 OR 6 cylinder Mini-Van
2. All glass and flammable materials must be removed
3. **No** outside reinforcement allowed.
4. Tires allowed are the ones that come with the model of car (Winter tires are allowed)
5. **No** cutting or gutting of any panels.
6. Front and rear plastic bumpers must be removed. All Styrofoam packing must be removed
7. **No** bracing in front of front firewall.
8. Trailer hitch allowed (original place)
9. Remove all working lights, no mirror
10. **No** trucks, 4-wheel drives or convertibles.
11. Van must have full body.
12. **No** obscene lettering.
13. Tire pressure, no less than 28 lbs. per tire.
14. **No** holes in floor @ drivers feets.
15. **No** plastic body cars. ie: Saturns
16. SUNROOF must be closed with TIN
17. On the roof a piece of thin TIN 1 x 1 f foot with your Number on both sides, screwed from inside or rivets

SAFETY


1. 1. Battery must be in engine compartment. It can be relocated if needed, must solid to floor and secured from the driver
2. Lap & shoulder belt.
3. Full face helmet.
4. Seat must be solid to floor or roll cage.
5. Gas tank in original position. If not, it must be in trunk strapped with **at least 4**, 1" strapping.
Firewall between driver compartment and trunk.
6. Trunk has to be bolted and NOT Welded
7. ALL DOORS **MUST BE WELDED SHUT**. At least **4**, **1" welds per door**. 
8. 4 point roll bar highly recommended.
9. Windshield area must be completely covered with wire screen no larger than 2" holes. **NO CHICKEN WIRE**.
10. Remove all air bags.
11. No Mounting of anything on the roof of the vehicle
12. NECK RESTRAINTS Highly recommended
13. Gloves are mandatory.

The following applies to Trucks

NOTE: Leave front doors blank for number on Race Day.

1. Any North American Truck 6 or 8 Cyl
2. All glass and flammable materials must be removed
3. **No** outside reinforcement allowed.
4. Maximum 10" tires (tread width). (Winter Tires are allowed)
5. **No** cutting or gutting of any panels.
6. **No** bracing in front of front firewall.
7. **No** 4-wheel drives (must be disconnected).
8. Truck must have full stock body.
9. Trailer hitch allowed (original place)
10. Remove all working lights, no mirror
11. **No** obscene lettering.
12. Tire pressure, no less than 36 lbs. per tire.
13. **No** holes in floor @ drivers feets.
14. **No** plastic body cars.
15. SUNROOF must be closed with TIN
16. On the roof a piece of thin TIN 1 x 1 f foot with your Number on both sides, screwed from inside or rivets

SAFETY

1. Battery must be in engine compartment. It can be relocated if needed, must solid to floor and secured from the driver
2. Lap & shoulder belt.
3. Full face helmet.
4. Seat must be solid to floor or roll cage.
5. Gas tank in original position. If not, it must be in trunk strapped with **at least 4**, 1" strapping.
Firewall between driver compartment and trunk.
6. Trunk has to be bolted and NOT Welded
7. ALL DOORS **MUST BE WELDED SHUT**. At least **4**, **1" welds per door.** 
8. 4 point roll bar highly recommended.
9. Windshield area must be completely covered with wire screen no larger than 2" holes. NO CHICKEN WIRE.
10. Remove all air bags.
11. No Mounting of anything on the roof of the vehicle
12. NECK RESTRAINTS Highly recommended
13. Gloves are mandatory.